ATP1A1-Specific Polyclonal antibody

Catalog Number: 55187-1-AP

Featured Product

13 Publications



Basic Information

Catalog Number: 55187-1-AP

Size:

GenBank Accession Number:

NM 000701

GeneID (NCBI):

150ul , Concentration: 600 $\mu g/ml$ by

Nanodrop: ENSEMBL Gene ID:

Source: ENSG00000163399 Rabbit **UNIPROT ID:** Isotype: P05023 IgG Full Name:

ATPase, Na+/K+ transporting, alpha 1

polypeptide Calculated MW: 113 kDa Observed MW: 100-110 kDa

Applications

Tested Applications:

WB, IF, FC, IHC, ELISA Cited Applications:

Species Specificity:

human, mouse

Cited Species:

human, rat, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HEK-293 cells, HepG2 cells, mouse heart tissue,

Purification Method:

WB 1:1000-1:8000

IHC 1:50-1:500

IF 1:500-1:2000

Antigen affinity purification

Recommended Dilutions:

MCF-7 cells, Neuro-2a cells

IHC: human liver cancer tissue, mouse kidney tissue,

human kidney tissue

IF: HEK-293 cells, Caco-2 cells

Background Information

ATP1A1 is the catalytic component of Na+/K+-ATPase which is a membrane bound enzyme primarily involved in generation of Na+ and K+ gradients across plasma membranes and in determination of cytoplasmic Na+ levels. ATP1A1 is a ubiquitously expressed membrane protein and often used as the marker or internal control for plasma membrane protein. This antibody is specific to ATP1A1.

Notable Publications

Author	Pubmed ID	Journal	Application
Jun Lin	34514733	Adv Sci (Weinh)	WB
Yan Xu	27857155	Sci Rep	IF
Yuetao Wen	35609730	Neurosci Res	WB

Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



WB result of ATP1A1-Specific antibody (55187-1-AP; 1:30000; incubated at room temperature for 1.5 hours) with sh-Control and sh-ATP1A1-Specific transfected HEK-293 cells.



Various lysates were subjected to SDS PAGE followed by western blot with 55187-1-AP (ATP1A1-Specific antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.




Immunofluorescent analysis of (-20°C Methanol) fixed HEK-293 cells using ATP1A1-Specific antibody (55187-1-AP) at dilution of 1:1000 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).




Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 55187-1-AP (ATP1A1-Specific antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 55187-1-AP (ATP1A1-Specific antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed Caco-2 cells using 55187-1-AP (ATP1A1-Specific antibody) at dilution of 1:100 and CoraLite488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



1X10^6 HEK-293 cells were stained with 0.2ug ATP1A1-Specific antibody (55187-1-AP, red) and control antibody (blue). Fixed with 90% MeOH blocked with 3% BSA (30 min). Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) with dilution 1:1000.



Immunohistochemical analysis of paraffinembedded mouse kidney tissue slide using 55187-1-AP (ATP1A1-Specific antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).