For Research Use Only

CoraLite® Plus 488-conjugated BST2 Recombinant antibody

Catalog Number: CL488-82733-7 Featured Product



Purification Method:

493 nm / 522 nm

Basic Information

Catalog Number: GenBank Accession Number:

CL488-82733-7 BC033873 Protein A purification

Size:GeneID (NCBI):CloneNo.:100ul , Concentration: 1000 ug/ml by 6847J24

Nanodrop; UNIPROT ID: Recommended Dilutions:
Source: Q10589 IF/ICC 1:50-1:500

Rabbit Full Name: Excitation/Emission maxima
Isotype: bone marrow stromal cell antigen 2 wavelengths:

Isotype: bone marrow stromal cell antigen 2
IgG Calculated MW:

Immunogen Catalog Number: 180 aa, 20 kDa
AG4430 Observed MW:
30-36 kDa

Applications

Tested Applications:

IF/ICC

Species Specificity:

human

Positive Controls: IF/ICC : HepG2 cells,

Background Information

BST2, also named as CD317 and Tetherin, belongs to the tetherin family. It may be involved in the sorting of secreted proteins and it is involved in pre-B-cell growth. BST2 is an antiretroviral defense protein, that blocks release of retrovirus from the cell surface. Depleted unpon HIV-1 infection by viral VPU protein through 20S proteasome degradation. Depleted upon infection by human Kaposi's sarcoma-associated herpesvirus (KSHV) through ubiquitination and subsequent degradation. BST2 may play a role in B-cell activation in rheumatoid arthritis. It is recently identified interferon-induced cellular proteins that restrict infections by retroviruses and filoviruses and of influenza virus and flaviviruses, respectively. BST2 is a plasma membrane proteins, tetherin inhibits virion particle release from infected cells. BST2 is effective against retroviruses and flavoviruses whilst IFITMs disrupt influenza and flavivirus infection. Observed MW of BST2 is 30-36 kDa (PMID: 19196977; 21237475).

Storage


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using CoraLite® Plus 488 BST2 antibody (CL488-82733-7, Clone: 7J24) at dilution of 1:200.