For Research Use Only

CoraLite® Plus 750 Anti-Human CD16 (3G8)



Catalog Number: CL750-65090

Basic Information

Catalog Number:

BC017865

Purification Method: Affinity purification

CL750-65090

GeneID (NCBI):

CloneNo.:

100tests, 5 µl/test

2214

3G8

755 nm / 780 nm

Mouse

Full Name: Fc fragment of IgG, low affinity IIIa,

GenBank Accession Number:

Excitation/Emission maxima wavelengths:

Isotype: Mouse IgG1, k receptor (CD16a) Calculated MW:

254 aa, 29 kDa

Applications

Tested Applications:

Species Specificity:

Human

Background Information

CD16 is a 50-70-kDa low affinity Fc receptor found on the surface of natural killer cells, neutrophil polymorphonuclear leukocytes, monocytes and macrophages. CD16 mediates antibody-dependent cellular cytotoxicity (ADCC) and other antibody-dependent responses, such as phagocytosis. CD16 has been identified as Fc receptors Fcy RIIIa (CD16a) and Fcy RIIIb (CD16b), encoded by two nearly identical genes, FCGR3A and the FCGR3B. Clone 3G8 recognizes both the CD16a and CD16b (PMID: 7592758).

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1X10^6 human PBMCs were surface co-stained with PE Anti-Human CD3 and 5 ul CoraLite® Plus 750 Anti-Human CD16 (CL750-65090, Clone:3G8) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface co-stained with PE Anti-Human CD3 and 5 ul CoraLite® Plus 750 Anti-Human CD16 (CL750-65090, Clone:3G8) or Mouse IgG1 Isotype Control. Cells were not fixed. CD3-lymphocytes were gated.