For Research Use Only

CoraLite® Plus 750 Anti-Human CD8a (RPA-T8)



Catalog Number: CL750-65144

Basic Information

Catalog Number: CL750-65144

Size:

100tests, 5 ul/test

Source: Mouse Isotype:

IgG1, kappa

ENSG00000153563 UNIPROT ID: P01732 Full Name: CD8a molecule

> Calculated MW: 235 aa, 26 kDa

BC025715

GeneID (NCBI):

ENSEMBL Gene ID:

GenBank Accession Number:

Purification Method:

Affinity purification

CloneNo.: RPA-T8

Excitation/Emission maxima

wavelengths: 755 nm / 780 nm

Applications

Tested Applications:

Species Specificity:

human

Background Information

CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8a or as a heterodimer of CD8a and CD8β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8αβ heterodimer while CD8αα homodimers alone have been found on some gut intraepithelial T cells , on some T cell receptor (TCR) $\gamma\delta$ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+T cells (PMID: 1968084).

Storage


Storage:

Store at 2-8°C. Avoid exposure to light.


Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1x10^6 human PBMCs were surface stained with CL488 Anti-Human CD3 and 5 ul CoraLite® Plus 750 Anti-Human CD8a (CL750-65144, Clone:RPA-T8) or CoraLite® Plus 750 Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.



1x10^6 human PBMCs were surface stained with 5 ul CoraLite® Plus 750 Anti-Human CD8a (CL750-65144, Clone:RPA-T8) (red) or CoraLite® Plus 750 Mouse IgG1 Isotype Control (blue). Cells were not fixed. Lymphocytes were gated.