For Research Use Only

FITC Plus Anti-Mouse Nectin-2/CD112 Rabbit Recombinant Antibody

Catalog Number:FITC-98231





Basic Information	Catalog Number: FITC-98231	GenBank Accession Number: NM_008990.3	Purification Method: Protein A purification
	Size: 100ug , 500 ug/ml	GenelD (NCBI): 19294	CloneNo.: 241798A11
	Source: Rabbit Isotype: IgG	UNIPROT ID: P32507-1 Full Name: poliovirus receptor-related 2 Calculated MW:	Excitation/Emission maxima wavelengths: 495 nm / 524 nm
		Applications	
Species Specificity: mouse			
Background Information	Nectin 2, also named as PVRL2, CD112, HVEB, PRR2 and PVRR2, is an adhesion molecule widely expressed in cell lines of different lineages, including hematopoietic, neuronal, endothelial and epithelial cells. CD112 belongs to a new family of immunoglobulin-like molecules that includes four members (CD111, CD112, PRR3 and CD155) sharing an ectodomain made of three Ig domains, of V and C types. CD112 is expressed in the myelo-monocytic and megakaryocytic hematopoietic lineages and the function in hematopoiesis is currently unknown. CD112 is an intercellular homophilic adhesion. CD112 localizes specifically at adherents junctions via its cytoplasmic interaction with the scaffold F-actin binding protein afadin. Disruption of the murine CD112 gene leads to infertility of male mice with morphologically aberrant spermatozoa. CD112 mediates entry of some alphaherpesvirus mutants (also named HveB) via its V domain. CD112 is involved in cell to cell spreading of viruses.		
Storage	Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide.		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1x10^6 NIH/3T3 cells were surface stained with 0.25 ug FITC Plus Anti-Mouse Nectin-2/CD112 Rabbit RecAb (FITC-98231, Clone:241798A11) or 0.25 ug FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9). Cells were not fixed.

1x10^6 NIH/3T3 cells were surface stained with 0.25 ug FITC Plus Anti-Mouse Nectin-2/CD112 Rabbit RecAb (FITC-98231, Clone: 241798A11) (red) or 0.25 ug FITC Plus Rabbit IgG Isotype Control RecAb (FITC-98136, Clone: 240953C9) (blue). Cells were not fixed.